


Pad Printing Silicone(Addition Cured)

Product Description:

Pad Printing Silicone is excellent applied for printing pads making of perfect irregular patterns on plastics toys, electronic toys, trademarks, keyboards, electroplating products etc.





Appearance:

Part A: an non-toxic and odorless liquid in translucent color with platinum inside Part B: an non-toxic and odorless liquid in translucent color.

ATT: We do any curing time as you requirements



Web:www.ottsilicone.comPage 1Email:sz@ottsilicone.comTel:+86-020-86819712Email:gz@ottsilicone.com



Guangzhou OTT New Materials Co., Ltd.

Features:

- ♦ Fantastic printing effects
- ♦ Without any impurity
- ♦ Friction resistance
- ♦ Perfect resilience
- ♦ Optically clear
- ♦ heat-conducting.
- ♦ High resistance to high temperature and aging(resist -60 to 250°C)

Model Code: Y230#, Y235#,

Technical Data:

Notes: The data are based on the operation under room temperature of 25 $^{\circ}$ C.

Typical general characteristics	Inspection Method	Value	
Product data (Catalyzed A+B)		Y230	Y235
Hardness	Shore A	30±2	35±2
Mix Ratio	A:B	1:1/9:1	1:1/9:1
Color	/	Red/Translucent/white	Red/Translucent/white
Pot life	25 °C (77F)	10-40mins	10-40mins
Curing time	25 °C (77F)	1- 6hrs	1-6hrs
Viscosity	mPa.s	20000±2000	20000±3000
Tear-Strength	kg/cm	≥18	≥18
Tensile -Strength	M.pa	≥4.2	≥4.2
Elongation	%	≥450	≥450
Shrinkage	%	≤0.1	≤0.1

Packing:

Web:www.ottsilicone.comPage 2Email:sz@ottsilicone.comTel:+86-020-86819712Email:gz@ottsilicone.com



Guangzhou OTT New Materials Co., Ltd.

Part A: 1kg, 5kg, 10kg, 20kg, 25kg, 200kg, Vacuumed Packing in white color **Part B:** 1kg, 5kg, 10kg, 20kg, 25kg, 200kg, Vacuumed Packing in sky blue color



Storage & Shelf Life:

1Year at least, stored in a cool and dry place under room temperature 25° C

Operation Method:

By Pouring operation method



Caution - Safety First !!!

- 1. Read the material safety data sheet(MSDS) before use.
- 2. Keep Out Of Reach Of Children.
- 3. Be careful. Use only with adequate ventilation. Contact with skin and eyes may cause irritation. Flush eyes with water for 15mins and seek immediate medical attention. Remove from skin with water-less hand cleaner followed by soap & water.



Web:www.ottsilicone.comPage 3Email:sz@ottsilicone.comTel:+86-020-86819712Email:gz@ottsilicone.com